British Journal of Pharmacology

Index

Volumes 93–95
1988

Index
Volumes 93–95
1988

SCIENTIFIC & MEDICAL
MACMILLAN PRESS LTD

INDEX TO VOLUMES 93, 94 AND 95

AUTHOR INDEX

A

AALKJÆR, C. *see* VIDEBÆK, L.M., **95**, 103
AARHUS, L.L. *see* SHIMOKAWA, H., **95**, 1181
ABRAHAMSEN, J. *see* NEDERGAARD, O.A., **93**, 23
ACRITOPOULOU-FOURCROY, S. & MARÇAIS-COLLADO, H. Involvement of α-adrenoceptors in myometrial responses in the pro-oestral rat, **93**, 185
ADAMANTIDIS, M.M., HONORÉ, E.R. & DUPUIS, B.A. Electrical and mechanical effects of new aminosteroids on guinea-pig isolated ventricular muscle, **95**, 1063
ADCOCK, J. *see* MITCHELL, H.W., **94**, 522
ADCOCK, J.J., SCHNEIDER, S. & SMITH, T.W. Effects of codeine, morphine and a novel opioid pentapeptide BW443C, on cough, nociception and ventilation in the anaesthetized guinea-pig, **93**, 93
ADVENIER, C. *see* DEVILLIER, P., **94**, 675
ADVENIER, C., DEVILLIER, P., MATRAN, R. & NALINE, E. Influence of epithelium on the responsiveness of guinea-pig isolated trachea to adenosine, **93**, 295
AHN, H.Y. & KARAKI, H. Inhibitory effects of procaine on contraction and calcium movement in vascular and intestinal smooth muscles, **94**, 789
AHN, H.Y., KARAKI, H. & URAKAWA, N. Inhibitory effects of caffeine on contractions and calcium movement in vascular and intestinal smooth muscle, **93**, 267
AKAGI, H. *see* KUDO, Y., **94**, 1050
AKAIKE, N. *see* FFRENCH-MULLEN, J.M.H., **95**, 753
—, *see* IKEMOTO, Y., **95**, 883
—, *see* INOMATA, N., **93**, 679
—, *see* SADOSHIMA, J., **94**, 620
—, *see* TSUDA, Y., **95**, 526
AKBARALI, H.I., BIEGER, D. & TRIGGLE, C.R. Inhibition of field stimulation-evoked relaxations in rat oesophageal smooth muscle by the calcium antagonist PN 200-110, 512 **95**, 512
AKBARALI, H.I., BIEGER, D., OHIA, S.E. & TRIGGLE, C.R. Similarity of relaxations evoked by BRL 34915, pinacidil and field-stimulation in rat oesophageal tunica muscularis mucosae, **95**, 519
AKIYOSHI, E. *see* KUDO, Y., **94**, 1051
AL-DAMLUJI, S., ROSS, G., TOUZEL, R., PERRETT, D., WHITE, A. & BESSER, G.M. Modulation of the actions of tyrosine by α-adrenoceptor blockade, **95**, 405
ALBRIGHTSON, C.R. *see* BROOKS, D.P., **94**, 759
ALHEID, U. *see* FÖRSTERMANN, U., **93**, 569
ALLAN, G., CAMBRIDGE, D., FOLLENFANT, M.J., STONE, D. & WHITING, M.V. A comparative study of the cardiovascular and biochemical actions of the imidazo [4,5b] pyridine sulmazole and an imidazo [4,5c] pyridine analogue, BW A746C, **93**, 387
ALLELY, M.C. & ALPS, B.J. The effects of the novel antianginal compound RS 43285 on myocardial conduction in the anaesthetized dog, **93**, 375
ALLEN, G. *see* CAMBRIDGE, D., **93**, 165
ALLEN, J.M., McCARRON, J.G., McHALE, N.G. & THORNBURY, K.D. Release of [^{3}H]-noradrenaline from the sympathetic nerves to bovine mesenteric lymphatic vessels and its modification by α-agonists and antagonists, **94**, 823
ALLGAIER, C., DASCHMANN, B., HUANG, H.Y. & HERTTING, G., Protein kinase C and presynaptic modulation of acetylcholine release in rabbit hippocampus, **93**, 525
ALONSO, R. *see* SLADCZEK, F., **95**, 1133
ALOSACHIE, I. & GODFRAIND, T. The modulatory role of vascular endothelium in the interaction of agonists and antagonists with α-adrenoceptors in the rat aorta, **95**, 619
ALPS, B., CALDER, C., HASS, W.K. & WILSON, A.D. Comparative protective effects of nicardipine, flunarazine, lidoflazine and nimodipine against ischaemic injury in the hippocampus of the Mongolian gerbil, **93**, 877
ALPS, B.J. *see* ALLELY, M.C., **93**, 375
ALTURA, B.M. *see* MURAKAWA, T., **94**, 325
ALTURA, B.T. *see* MURAKAWA, T., **94**, 325
ALVINERIES, P. *see* GAIRIN, J.E., **95**, 1023
AMERINI, S., BERNABEI, R., CARBONIN, P., CERBAI, E., MUGELLI, A. & PAHOR, M. Electrophysiological mechanism for the antiarrhythmic action of propafenone: a comparison with mexiletine, **95**, 1039
AMEZCUA, J.L., DUSTING, G.J., PALMER, R.M.J. & MONCADA, S. Acetylcholine induces vasodilatation in the rabbit isolated heart through the release of nitric oxide, the endogenous nitrovasodilator, **95**, 830
ANDERSON, A.J. & HARVEY, A.L. Effects of the potassium channel blocking dendrotoxins on acetylcholine release and motor nerve terminal activity, **93**, 215
ANDERSON, A.J., HARVEY, A.L., ROWAN, E.G. & STRONG, P.N. Effects of charybdotoxin, a blocker of Ca^{2+}-activated K^+ channels, on motor nerve terminals, **95**, 1329
ANDERSON, G. & FENNESSY, M. Effects of REV 5901, a 5-lipoxygenase inhibitor and leukotriene antagonist, on pulmonary responses to platelet activating factor in the guinea-pig, **94**, 1115
ANDERSON, R. *see* LUKEY, P.T., **93**, 289
ANDERSON, W.H. *see* WELFORD, L.A., **95**, 689
ANDRIANTSITOHAINA, R. & STOCLET, J.C. Potentiation by neuropeptide Y of vasoconstriction in rat resistance arteries, **95**, 419
ANGUS, J.A. *see* COCKS, T.M., **95**, 67
ANSCHÜTZ, S. *see* WESSLER, I., **94**, 669
AOKI, N., BITTERMAN, H., BREZINSKI, M.E. & LEFER, A.M. Cardioprotective actions of human superoxide dismutase in two reperfusion models of myocardial ischaemia in the rat, **95**, 723
ANGCHANPEN, P., MARIN-GREZ, M. & SCHNERMANN, J. Effect of dopamine antagonists on the urine flow of rats infused with hypotonic saline, **93**, 151
ARAKI, H. *see* MORITOKI, H., **95**, 1015
ARAM, J.A. *see* FLETCHER, E.J., **95**, 585

© The Macmillan Press Ltd 1988

ARCH, J.R.S., BUCKLE, D.R., BUMSTEAD, J., CLARKE, G.D., TAYLOR, J.F. & TAYLOR, S.G. Evaluation of the potassium channel activator cromakalim (BRL 34915) as a bronchodilator in the guinea-pig: comparison with nifedipine, **95**, 763
ARTALEJO, A.R. *see* CÁRDENAS, A.M., **95**, 9
ASANO, M., MASUZAWA, K. & MATSUDA, T. Evidence for reduced β-adrenoceptor coupling to adenylate cyclase in femoral arteries from spontaneously hypertensive rats, **94**, 73
—, Role of stimulatory GTP-binding protein (Gs) in reduced β-adrenoceptor coupling in the femoral artery of spontaneously hypertensive rats, **95**, 241
ASCIOTI, C. *see* DE SARRO, G., **95**, 1278
ASHFORD, M.L.J. *see* STURGESS, N.C., **95**, 83
AURSUDKIJ, B. *see* ROGERS, D.F., **95**, 1109

B

BAARS, L.G.M. *see* THIJSSEN, H.H.W., **95**, 675
BACCIOTTINI, L. *see* PELLEGRINI-GIAMPETRO, D.E. **93**, 535
BACON, K.B., CAMP, R.D.R., CUNNINGHAM, F.M. & WOOLLARD, P.M. Contrasting *in vitro* lymphocyte chemotactic activity of the hydroxyl enantiomers of 12-hydroxy-5,8,10,14-eicosatetraenoic acid, **95**, 966
BAGETTA, G. *see* DE SARRO, G., **95**, 1278
BAGETTA, G., DE SARRO, G., PRIOLO, E. & NISTICO, G. Ventral tegmental area: site through which dopamine D_2-receptor agonists evoke behavioural and electrocortical sleep in rats, **95**, 860
BAKER, J.R.J. *see* TAYLOR, S.G., **94**, 853
BAKHLE, Y.S. *see* GRANTHAM, C.J., **94**, 1029
—, *see* IZUMI, T., **93**, 955
BAKHRAMOV, A. *see* BREGESTOVSKI, P., **95**, 419
BARNES, P.J. *see* BELVISI, M.G., **95**, 413
—, *see* EVANS, T.W., **94**, 164
—, *see* ROGERS, D.F., **95**, 1109
—, *see* STRETTON, C.D., **93**, 663
BARNETT, C.J.K. *see* O'DONNELL, **94**, 437
BARLOW, R.B., SHEPHERD, M.K., TYDEMAN, H. & VEALE, M.A. The affinity of some acetylenic analogues of 4-DAMP methobromide for muscarinic receptors in guinea-pig ileum and atria, **94**, 947
BARR, H.A., NICHOLAS, T.E. & POWER, J.H.T. Control of alveolar surfactants in rats at rest and during prolonged hyperpnoea: pharmacological evidence for two tissue pools of surfactant, **93**, 473
BARR, R.M., FRANCIS, D.M., BLACK, A.K., NUMATA, T. & GREAVES, M.W. The release of prostagalandin D_2 from human skin *in vivo* and *in vitro* during immediate allergic reactions, **94**, 773
BARRÈS, C., CERUTTI, C., MORIN, B. & SASSARD, J. Cardiovascular effects of two new calcium antagonists, PY 108-068 and PN 200-100, in conscious spontaneously hypertensive rats, **93**, 176
BATRA, S. *see* KOSTRZEWSKA, A., **94**, 1037
BAUER, V. *see* RUSKO, J., **94**, 557
BAUMANN, M. *see* LEPOR, H., **95**, 139
BEART, P.M. *see* LODGE, D., **95**, 957
BECK, K., CALAMARI, F., STADERINI, G. & SUSINI, R. Gastric motor responses elicited by vagal stimulation and purine compounds in the atropine-treated rabbit, **94**, 1157
BECKERINGH, J.J. *see* MICHEL, M.C., **94**, 685
BEDING-BARNEKOW, B., BRODIN, E. & HÅKANSON, R. Substance P, neurokinin A and neurokinin B in the ocular response to injury in the rabbit, **95**, 259
BELL, C. Phentolamine lacks α_2-adrenoceptor agonist activity in anaesthetized dogs, **93**, 337
BELVISI, M.G. *see* ROGERS, D.F., **95**, 1109
BELVISI, M.G., CHUNG, K.F., JACKSON, D.M. & BARNES, P.J. Opioid modulation of non-cholinergic neural bronchoconstriction in guinea-pig *in vivo*, **95**, 413
BEN-ZVI, Z. & HURWITZ, A. Clonidine effects on disposition of xenobiotics in rats: inhibited elimination of flow-limited but not extraction-limited agents, **94**, 97
BENNETT, G.W. *see* BRISTOW, L.J., **95**, 1292
BENNETT, T. *see* GARDINER, S.M., **95**, 197
BENOIT, E., CARRATÙ, M.R. & MITOLO-CHIEPPA, D. Interactions between molecules of a steroid anaesthetic (alphaxalone) and ionic channels of nodal membrane in voltage-clamped myelinated nerve fibre, **94**, 635
BENVENISTE, J. *see* BRAUNSTEIN, G., **95**, 300
BENYON, R.C. *see* LOWMAN, M.A., **95**, 121
BERNABEI, R. *see* AMERINI, S., **95**, 139
BERRY, C.N., PROUTEAU, M. & LLOYD, K.G. Sulphasalazine and PhCL28A inhibit the formation of ethanol- and phenylbutazone-induced rat gastric ulcers: lack of involvement of endogenous prostaglandins, **93**, 465
BESSER, G.M. *see* AL-DAMLUJI, S., **95**, 405
BETTANEY, J. *see* DRAY, A., **95**, 1008
BHARDWAJ, R. & MOORE, P.K. Endothelium-derived relaxing factor and the effects of acetylcholine and histamine on resistance blood vessels, **95**, 835
BHATTACHERJEE, P. *see* TATESON, J.E., **94**, 528
BIAN, K. *see* LU, W., **95**, 544
BIEGER, D. *see* AKBARALI, H.I., **95**, 512
—, *see* AKBARALI, H.I., **95**, 519
BIRCHMORE, B. *see* CLARK, C.R., **93**, 618
BISSET, G.W. *see* CHOWDREY, H.S., **93**, 349
BITTERMAN, H. *see* AOKI, N., **95**, 735
BLACK, A.K. *see* BARR, R.M., **94**, 773
—, *see* CAMP, R.D.R., **94**, 1043
BLACK, J.W. *see* SHANKLEY, N.P., **94**, 264
BLAKE, J.F., BROWN, M.W. & COLLINGRIDGE, G.L. A qualitative study of the actions of excitatory amino acids and antagonists in rat hippocampal slices, **95**, 291
BLAKELY, A.G.H. *see* DUNN, P.M., **93**, 243
BLAKELEY, A.G.H., DUNN, P.M. & PETERSEN, S.A. A study of the actions of P_1-purinoceptor agonists and antagonists in the mouse vas deferens *in vitro*, **94**, 37
BOARATO, E. *see* CHANG, H.W., **93**, 647
BOCKAERT, J. *see* SLADCZEK, F., **95**, 1133
BODEN, P. & HILL, R.G. Effects of cholecystokinin and related peptides on neuronal activity in the ventromedial nucleus of rat hypothalamus, **94**, 246
BOGNAR, I.T., PALLAS, S., FUDER, H. & MUSCHOLL, E. Muscarinic inhibition of [^{3}H]-noradrenaline release on rabbit iris *in vitro*: effects of stimulation conditions on intrinsic activity of methacholine and pilocarpine, **94**, 890

BÖHM, M., BRÜCKNER, R., NEUMANN, J., NOSE, M., SCHMITZ, W. & SCHOLZ, H. Adenosine inhibits the positive inotropic effect of 3-isobutyl-l-methylxanthine in papillary muscles without effect on cyclic AMP or cyclic GMP, **93,** 729
BOLTON, T.B. *see* LIM, S.P., **95,** 325
BOM, A.H., DUNCKER, D.J., SAXENA, P.R. & VERDOUW, P.D. 5-Hydroxytryptamine-induced tachycardia in the pig: possible involvement of a new type of 5-hydroxytryptamine receptor, **93,** 663
BORCHGREVINK, P.C. & RYAN, M.P. Effects of magnesium, ouabain and bumetanide on ^{86}rubidium uptake in human atrial cell line, **95,** 614
BOND, R.A. & CLARK, D.E. Agonist and antagonist characterization of a putative adrenoceptor with distinct pharmacological properties from the α- and β-subtypes, **95,** 723
BOSE, D. *see* HRYSHKO, L.V., **94,** 291
BOSE, D., ELLIOTT, D., KOBAYASHI, T., TEMPLETON, J.F., KUMAR, V.P.S. & LABELLA, F.S. 14β-Hydroxyprogesterone binds to the digitalis receptor, inhibits the sodium pump and enhances cardiac contractility, **93,** 453
BOSE, D., HRYSHKO, L.V., KING, B.W. & CHAU, T. Control of interval-force relation in canine ventricular myocardium studied with ryanodine, **95,** 811
BOTANCH, C. *see* GAIRIN, J.E., **95,** 1023
BOTTOMLEY, K.M.K., GRIFFITHS, R.J., RISING, T.J. & STEWARD, A. A modified mouse air pouch model for evaluating the effects of compounds on granuloma induced cartilage degradation, **93,** 627
BOUGHTON-SMITH, N.K. & WHITTLE, B.J.R. Failure of the inhibition of rat gastric mucosal 5-lipoxygenase by novel acetohydroxamic acids to prevent ethanol-induced damage, **95,** 155
BROUGHTON-SMITH, N.K., WALLACE, J.L., MORRIS, G.P. & WHITTLE, B.J.R. The effect of anti-inflammatory drugs on eicosanoid formation in a chronic model of inflammatory bowel disease in the rat, **94,** 65
BOURKE, J.E., BUNN, S.J., MARLEY, P.D. & LIVETT, B.G. The effects of neosurugatoxin on evoked catecholamine secretion from bovine adrenal chromaffin cells, **93,** 275
BOUTHILLIER, J. *see* DEBLOIS, D., **93,** 969
BOVA, S., CARGNELLI, G. & LUCIANI, S. Na/Ca exchange and tension development in vascular smooth muscle: effect of amiloride, **93,** 601
BOWERY, N.G., WONG, E.H.F. & HUDSON, A.L. Quantitative autoradiography of [^{3}H]-MK-801 binding sites in mammalian brain, **93,** 948
BOWMER, C.J. *see* SILBERSTEIN, D.J., **95,** 343
BOWSER-RILEY, F., DANIELS, S. & SMITH, E.B. Investigations into the origin of the high pressure neurological syndrome: the interaction between pressure, strychnine and 1,2-propandiols in the mouse, **94,** 1069
BOYLE, J.P. *see* SMALL, R.C., **94,** 1091
BOYLE, J.P., DAVIES, J.M., FOSTER, R.W., GOOD, D.M., KENNEDY, I. & SMALL, R.C. Spasmogen action in guinea-pig isolated trachealis: involvement of membrane K^+-channels and the consequences of K^+-channel blockade, **93,** 319
BRAAS, K.M., MANNING, D.C., PERRY, D.C. & SNYDER, S.H. Bradykinin analogues: differential agonist and antagonist activities suggesting multiple receptors, **94,** 3
BRAIN, S.D., TIPPINS, J.R. & WILLIAMS, T.J. Endothelin induces potent microvascular constriction, **95,** 1005
BRAND, F.-H. *see* LENZEN, S., **95,** 851
BRAQUET, P. *see* SENN, N., **93,** 803
BRAUNSTEIN, G., LABAT, C., BRUNELLESCHI, S., BENVENISTE, J., MARSAC, J. & BRINK, C. Evidence that the histamine sensitivity and responsiveness of guinea-pig isolated trachea are modulated by epithelial prostaglandin E_2 production, **95,** 300
BREGESTOVSKI, P., BAKHRAMOV, A., DANILOV, S., MOLDOBAEVOA, A. & TAKEDA, K. Histamine-induced inward currents in cultured endothelial cells from human umbilical vein, **95,** 419
BREZINSKI, M.E. *see* AOKI, N., **95,** 735
BRIGGS, C.A., McFEE, D.A. & McCAMAN, R.E. Long-term regulation of synaptic acetylcholine release and nicotinic transmission: the role of cyclic AMP, **93,** 399
BRINK, C. *see* BRAUNSTEIN, G., **95,** 300
BRISTOW, L.J. & BENNETT, G.W. Biphasic effects of intra-accumbens histamine administration on spontaneous motor activity in the rat; a role for central histamine receptors, **95,** 1292
BRODDE, O.-E. *see* MICHEL, M.C., **94,** 685
BRODIN, E. *see* BEDING-BARNEKOW, B., **95,** 259
BROOKS, D.P., KOSTER, P.F., STASSEN, F.L., ALBRIGHTSON, C.R., HUFFMAN, W.F., WASSERMAN, M.A. & KINTER, L.B. Flushing and haemodynamic responses to vasopressin peptides in the rhesus monkey, **94,** 759
BROWN, C.M., McGRATH, J.C., MIDGLEY, J.M., MUIR, A.G.B., O'BRIEN, J.W., THONOOR, C.M., WILLIAMS, C.M. & WILSON, V.G. Activities of octopamine and synephrine sterioisomers on α-adrenoceptors, **93,** 417
BROWN, M.W. *see* BLAKE, J.F., **95,** 291
BRÜCKNER, R. *see* BÖHM, M., **93,** 729
BRUNELLESCHI, S. *see* BRAUNSTEIN, G., **95,** 300
BRUNI, A. *see* CHANG, H.W., **93,** 647
BUCKINGHAM, R.E. Studies on the anti-vasoconstrictor activity of BRL 34915 in spontaneously hypertensive rats; a comparison with nifedipine, **93,** 541
BULLOCH, J.M. & McGRATH, J.C. Blockade of vasopressor and vas deferens responses by α,β-methylene ATP in the pithed rat, **94,** 103
—. Selective blockade by nifedipine of 'purinergic' rather than adrenergic nerve-mediated vasopressor responses in the pithed rat, **95,** 695
BULT, H., FRET, H.R.L., VAN DEN BOSSCHE, R. & HERMAN, A.G. Platelet inhibition by endothelium-derived relaxing factor from the rabbit perfused aorta, **95,** 1308
BULT, H., HEIREMANS, J.J., HERMAN, A.G., MALCORPS, C.M.A. & PEETERS, F.A.M. Prostacyclin biosynthesis and reduced 5-HT uptake after complement-induced endothelial injury in the dog isolated lung, **93,** 791
BUNN, S.J. *see* BOURKE, J.E., **93,** 275
BURNS, K.M. *see* SHAW, J.S., **95,** 578
BURNSTOCK, G. *see* HOYLE, C.H.V., **95,** 653

—, *see* MACKENZIE, I., **94**, 699
—, *see* RALEVIC, V., **95**, 637
BURTON, N.R. *see* WILLIAMS, T.L., **95**, 805
BURTON, N.R., SMITH, D.A.S. & STONE, T.W. A quantitative pharmacological analysis of some excitatory amino acid receptors in the mouse neocortex *in vitro*, **93**, 693
BUSSE, R. *see* LÜCKHOFF, A., **95**, 189
BUTINA, D. *see* HUMPHREY, P.P.A., **94**, 1123
BUTLER, A., HILL, J.M., IRELAND, S.J., JORDAN, C.C. & TYERS, M.B. Pharmacological properties of GR38032, a novel antagonist at 5-HT_3 receptors, **94**, 397
BUXTON, B.F. *see* MOLENAAR, P., **95**, 225
BYRNE, N.G. & LARGE, W.A. Mechanism of action of α-adrenoceptor activation in single cells freshly dissociated from the rabbit portal vein, **94**, 475

C

CALAMARI, F. *see* BECK, K., **94**, 1157
CALCUTT, C.R., GANELLIN, C.R., GRIFFITHS, R., LEIGH, B.K., MAGUIRE, J.P., MITCHELL, R.C., MYLEK, M.E., PARSONS, M.E., SMITH, I.R. & YOUNG, R.C. Zolantidine (SK&F 95282) is a selective brain-penetrating histamine H_2-receptor antagonist, **93**, 69
CALDER, C. *see* ALPS, B., **93**, 877
CALIXTO, J.B., PIZZOLATTI, M.G. & YUNES, R.A. The competitive antagonistic effect of compounds from *Mandevilla velutina* on kinin-induced contractions of rat uterus and guinea-pig ileum *in vitro*, **94**, 1133
CALLACHAN, H. *see* PETERS, J.A., **94**, 1257
CAMBRIDGE, D. *see* ALLAN, G., **93**, 387
CAMBRIDGE, D., WHITING, M.V. & ALLAN, G. Cardiac and renovascular effects in the anaesthetized dog of BW A575C: a novel angiotensin converting enzyme inhibitor with β-adrenoceptor blocking properties, **93**, 165
CAMP, R.D.R. *see* BACON, K.B., **95**, 966
CAMP, R.D.R., CUNNINGHAM, F.M., FINCHAM, N.J., GREAVES, M.W., BLACK, A.K., MALLET, A.I. & WOOLARD, P.M. Psoriatic skin lesions contain a novel lipid neutrophil chemokinetic compound which is distinct from known chemoattractant eicosanoids, **94**, 1043
CAMPBELL, C.A., CLAVENNA, C.F., WYNNE, J. & KLONER, R.A. Pentoxyfylline does not reduce infarct size in canine model of acute myocardial infarction, **93**, 570
CAMPBELL, I.C. *see* DUNN, G., **94**, 693
CANNING, B.J. *see* FARMER, S.G., **95**, 371
CARBONIN, P. *see* AMERINI, S., **95**, 139
CÁRDENAS, A.M., MONTIEL, C., ARTALEJO, A.R., SÁNCHEZ-GARCIA, P. & GARCIA, A.G. Sodium-dependent inhibition by PN200-110 enantiomers of nicotine adrenal catecholamine release, **95**, 9
CARELLA, A. *see* MURAKAWA, T., **94**, 325
CARGNELLI, G. *see* BOVA, S., **93**, 601
CARLA, V. *see* PELLEGRINI-GIAMPETRO, D.E., **93**, 535
CARPENE, C. *see* MORATINOS, J., **94**, 299
CARRATU, M.R. *see* BENOIT, E., **94**, 635
CARRINGTON, C.A. *see* STURGESS, N.C., **95**, 83
CARROLL, J.A., SHAW, J.S. & WICKENDEN, A.D. The physiological relevance of low agonist affinity binding at μ-receptors, **94**, 625
CARTER, T.D., HALLAM, T.J., CUSACK, N.J. & PEARSON, J.D. Regulation of P_2-purinoceptor-mediated prostacyclin release from human endothelial cells by cytoplasmic calcium concentration, **95**, 1181
CARTHEUSER, C.F. Slow channel inhibitor effects on brain function: tolerance to severe hypoxia in the rat, **95**, 903
CASTEELS, R. *see* KANMURA, Y., **95**, 284
CERBAI, E. *see* AMERINI, S., **95**, 139
CERRUTTI, C. *see* BÅRRES, C., **93**, 176
CERVONI, P. *see* LAI, F.M., **93**, 613
CHAKI, K., KAWAMURA, S., KISARA, K., SAKURADA, S., SAKURADA, T., SASAKI, Y., SATO, T. & SUSUKI, K. Antinociception and physical dependence produced by [D-Arg^2]-dermorphin tetrapeptide analogues and morphine in rats, **95**, 15
CHAN, M.-Y. *see* DAI, S., **93**, 723
CHAND, N., DIAMANTIS, W., MAHONEY, T.P. & SOFIA, R.D. Phospholipase A_2-induced airway hyperreactivity to cooling and acetylcholine in rat trachea: pharmacological modulation, **94**, 1057
CHANG, C.C., CHEN, S.M. & HONG, S.J. Reversals of the neostigmine-induced tetanic fade and endplate potential run-down with respect to the autoregulation of transmitter release, **95**, 1255
CHANG, H.W., INOUE, K., BRUNI, A., BOARATO, E. & TOFFANO, G. Stereoselective effects of lysophosphatidylserine in rodents, **93**, 647
CHARLETTE, L. *see* JONES, T.R., **95**, 309
CHAU, T. *see* BOSE, D., **95**, 811
CHEN, G., SUZUKI, H. & WESTON, A.H. Acetylcholine releases endothelium-derived hyperpolarizing factor and EDRF from rat blood vessels, **95**, 1165
CHEN, S.M. *see* CHANG, C.C., **95**, 1255
CHIBA, S. & TSUKADA, M. Possible mechanism of acetaldehyde-induced noradrenaline release from sympathetic nerve terminals in isolated blood vessels, **95**, 177
CHIVERS, J. *see* HORTON, R.W., **94**, 1234
CHOLERTON, S. *see* WINN, M.J., **94**, 1077
CHOO, L.K. *see* GARDNER, A.L., **94**, 199
CHOWDREY, H.S. & BISSETT, G.W. Central inhibition by γ-aminobutyric acid of the release of vasopressin by carbachol in the rat, **93**, 349
CHRISTENSEN, S. & PETERSEN, J.S. Effects of furosemide on renal haemodynamics and proximal tubular sodium reabsorption in conscious rats, **95**, 353
CHRISTENSEN, S.B. *see* OHUCHI, K., **94**, 917
CHRISTIE, M.I. & LEWIS, M.J. Vascular smooth muscle sensitivity to endothelium-derived relaxing factor is different in different arteries, **95**, 630
CHRISTIE, M.J. & NORTH, R.A. Agonists at μ-opioid, M_2-muscarinic and $GABA_B$-receptors increase the same potassium conductance in rat lateral parabrachial neurones, **95**, 896
CHUNG, K.F. *see* BELVISI, M.G., **95**, 413
—, *see* EVANS, T.W., **94**, 164
CHURCH, M.K. *see* HUTSON, P.A., **94**, 6

—, *see* LOWMAN, M.A., **95**, 121
CIABATTONI, G. *see* KARWATOWKA-PROKOPCZUK, E., **94**, 721
CIRINO, M. *see* LAGENTE, V., **94**, 27
CLARK, C.R., BIRCHMORE, B., SHARIF, N.A., HUNTER, J.C., HILL, R.G. & HUGHES, J. PD1170302: a selective agonist for the κ-opioid receptor, **93**, 618
CLARK, S.J., FOLLENFANT, R.L. & SMITH, T.W. Evaluation of opioid-induced antinociceptive effects in anaesthetized and conscious animals, **95**, 275
CLAVENNA, C.F. *see* CAMPBELL, C.A., **93**, 587
COATES, I.H. *see* HUMPHREY, P.P.A., **94**, 1123
COBUZZI, A. *see* LAI, F.M., **93**, 613
COCKS, T.M., LITTLE, P.J., ANGUS, J.A. & CRAGOE, E.J. Jr. Amiloride analogues cause endothelium-dependent relaxation in the canine coronary artery *in vitro*: possible role of Na^+/Ca^+ exchange, **95**, 67
COLLARD, K.J. *see* EVANS, S.M., **95**, 950
COLLARD, K.J., WILKINSON, L.S. & LEWIS, D.J. Studies on the mechanism by which tryptophan efflux from isolated synaptosomes is stimulated by depolarization, **93**, 341
COLLINGRIDGE, G.L. *see* BLAKE, J.F., **95**, 291
COLLINS, G.G.S. Effects of the anaesthetic 2,6-diisopropylphenol on synaptic transmission in the rat olfactory cortex slice, **95**, 939
COMER, M.B. *see* GRISTWOOD, R.W., **93**, 893
COMPTON, A.M. *see* GARDINER, S.M., **95**, 197
CONNELL, L.A. & WALLIS, D.I. Responses to 5-hydroxytryptamine evoked in the hemisected spinal cord of the neonate rat, **94**, 1101
CONNICK, J.H. & STONE, T.W. Excitatory amino acid antagonists and endogenous aspartate and glutamate release from rat hippocampal slices, **93**, 863
—. Quinolinic acid effects on amino acid release from the rat cerebral cortex *in vitro* and *in vivo*, **93**, 868
CONNOR, H.E. *see* HUMPHREY, P.P.A., **94**, 1123
CONSTANTI, A. *see* WILLIAMS, S.H., **93**, 846
—, *see* WILLIAMS, S.H., **93**, 855
COOLING, M.J. *see* SIM, M.F., **94**, 371
COOK, N.S. & HOF, R.P. Cardiovascular effects of apamin and BRL 34915 in rats and rabbits, **93**, 121
COOK, N.S., WEIR, S.W. & DANZEISEN, M.C. Antivasoconstrictor effect of K^+ channel opener cromakalim on the rabbit aorta—comparison with calcium antagonist isradipine, **95**, 741
CORDER, R. & WITHRINGTON, P.G. A comparison of the differential effects of vasoactive intestinal peptide and peptide histidine isoleucine on the vascular and capsular smooth muscle of the dog spleen, **95**, 664
—. The actions of neuropeptide Y and peptide YY on the hepatic arterial and portal beds of the anaesthetized dog, **94**, 1149
CORTIJO, P.B. *see* SMALL, R.C., **94**, 1091
CORY, R.N. *see* SLADECZEK, F., **95**, 1133
COSTA, M. & MAJEWSKI, H. Facilitation of noradrenaline release from sympathetic nerves through activation of ACTH receptors, β-adrenoceptors and angiotensin II receptors, **95**, 993
COSTALL, B. *see* JONES, B.J., **93**, 985
COTTRELL, G.A. *see* GREEN, K.A., **94**, 235
CRAGOE, E.J. Jr. *see* COCKS, T.M., **95**, 67
CREA, A.E.G. *see* JACQUES, C.A.J., **95**, 562
CRISCUOLI, M. & SUBISSI, A. Catecholamines released from the adrenal medulla exert a compensatory, protective effect at β_2-adrenoceptors against Paf-induced death in mice, **93**, 132
CRITCHLEY, J.A.J.H., MACLEAN, M.R. & UNGAR, A. Inhibitory regulation by co-released peptides of catecholamine secretion by the canine adrenal medulla, **93**, 383
CROS, J. *see* GAIRIN, J.E., **95**, 1023
CROSS, J.A. & HORTON, R.W. Effects of chronic oral administration of the antidepressants, desmethylimipramine and zimelidine on rat cortical $GABA_B$ binding sites: a comparison with $5\text{-}HT_2$ binding site changes, **93**, 331
CUNNINGHAM, F.M. *see* BACON, K.B., **95**, 966
—, *see* CAMP, R.D.R., **94**, 1043
CURTIS, M.J. & WALKER, M.J.A. The mechanism of action of calcium antagonists on arrhythmias in early myocardial ischaemia: studies with nifedipine and DHM9, **94**, 1275
CURTIS-PRIOR, P.B. *see* SMALL, R.C., **94**, 1091
CURZON, G. *see* KENNETT, G.A., **94**, 137
CUSACK, N.J. *see* CARTER, T.D., **95**, 1181

D

DAFFONCHIO, L., PAYNE, A.N., LEES, I.W. & WHITTLE, B.J.R. Immediated anaphylactic bronchoconstriction induced hyperreactivity in anaesthetized guinea-pigs, **94**, 663
DAI, S. *see* KO, W.W.W., **93**, 723
DAINTY, I.A. *see* EGLEN, R.M., **95**, 1031
DALY, C.J., DUNN, W.R., McGRATH, J.C. & WILSON, V.G. An attempt at selective protection from phenoxybenzamine of postjunctional α-adrenoceptor subtypes mediating contractions to noradrenaline in rabbit isolated saphenous vein, **95**, 501
DALY, C.J., McGRATH, J.C. & WILSON, V.G. An examination of the postjunctional α-adrenoceptor subtypes for (−)-noradrenaline in several isolated blood vessels from the rabbit, **95**, 473
—. Evidence that the population of postjunctional-adrenoceptors mediating contraction of smooth muscle in the rabbit isolated ear vein is predominantly α_2, **94**, 1085
—. Pharmacological analysis of postjunctional α-adrenoceptors mediating contractions to (−)-noradrenaline in the rabbit isolated lateral saphenous vein can be explained by interacting responses to simultaneous activation of α_1- and α_2-adrenoceptors, **95**, 485
DALZIEL, H.H. & SNEDDON, P. The mechanism of action of AMP-induced inhibition of sympathetic neurotransmission in the isolated vas deferens of the rat and the guinea-pig, **94**, 961
DAMAROWSKY, M., LÜLLMANN, H. & RAVENS, U. The dihydropyridine derivative 202-791: interpretation of the effects of the racemate considering inverse agonistic enantiomers, **95**, 1125
DANIELS, S. *see* BOWSER-RILEY, F., **94**, 1069
DANILOV, S. *see* BREGESTOVSKI, P., **95**, 419
DASCHMANN, B. *see* ALLGAIER, C., **93**, 525

DAVIES, J.M. *see* BOYLE, J.P., **93**, 319
—, *see* SMALL, R.C., **94**, 1091
DAVIES, M. *see* ROBERTS, M.H.T., **95**, 437
DAVIES, M., WILKINSON, L.S. & ROBERTS, M.H.T. Evidence for depressant 5-HT_1-like receptors on rat brainstem neurones, **94**, 492
—. Evidence for excitatory 5-HT_2-receptors on rat brainstem neurones, **94**, 483
DAVIES, R. Ll. *see* GRIFFITH, T.M., **93**, 654
DAVIES, S.N. *see* LODGE, D., **95**, 957
DE BELLEROCHE, J. & GARDINER, I.M. Inhibitory effect of 1,2,3,4-tetrahydro-9-aminoacridine on the depolarization-induced release of GABA from cerebral cortex, **94**, 1017
DE DEYN, P.P. & MACDONALD, R.L. Effects of non-sedative anxiolytic drugs on responses to GABA and on diazepam-induced enhancement of these responses on mouse neurones in cell culture, **95**, 109
DE LUCA, A. *see* ISHAC, E.J.N., **94**, 713
DE NUCCI, G., WARNER, T. & VANE, J.R. Effect of captopril on the bradykinin-induced release of prostacyclin from guinea-pig lungs and bovine aortic endothelial cells, **95**, 783
DE PABLOS, I. *see* MORATINOS, J., **94**, 299
DE SARRO, G. *see* BAGETTA, G., **95**, 860
DE SARRO, G., BAGETTA, G., ASCIOTI, C., LIBRI, V. & NISTICÓ, G. Microinfusion of clonidine and yohimbine into locus coeruleus alters EEG power spectrum: effects of aging and reversal by phosphatidylserine, **95**, 1278
DE SARRO, G., MELDRUM, B.S. & NISTICÓ, G. Anticonvulsant effects of some calcium entry blockers, **93**, 247
DEBLOIS, D., BOUTHILLIER, J. & MARCEAU, F. Effect of glucocorticoids, monokines and growth factors on the spontaneously developing responses of the rabbit isolated aorta to des-Arg^9-bradykinin, **93**, 969
DELEONARDIS, V.M. *see* NGANELE, D.M., **93**, 501
DEMPSTER, J. *see* ESTRELLA, D., **93**, 759
DEN BOER, M.O. *see* SASSEN, L.M.A., **95**, 361
DENIS, D. *see* JONES, T.R., **95**, 309
DENT, G. *see* EVANS, T.W., **94**, 164
DESQUAND, S. *see* LAGENTE, V., **94**, 27
DEVELLIER, P. *see* ADVENIER, C., **93**, 295
DEVILLIER, P., ADVENIER, C., DRAPEAU, G., MARSAC, J. & REGOLI, D. Comparison of the effects of epithelim removal and of an enkephalinase inhibitor on the neurokinin-induced contractions of guinea-pig isolated trachea, **94**, 675
DIAMANTIS, W. *see* CHAND, N., **94**, 1057
DILLON, J.S. & NAYLER, W.G. Ca^{2+}-antagonist and binding properties of the phenylalkylamine, anipamil, **94**, 246
DION, R. *see* SCHOEFFTER, P., **95**, 531
DIPPENAAR, U.H. *see* LUKEY, P.T., **93**, 289
DOETSCH, N. *see* MICHEL, M.c., **94**, 685
DOLIN, S.J., HALSEY, M.J. & LITTLE, H.J. Effects of the calcium channel activator Bay K 8644 on general anaesthetic potency in mice, **94**, 413
DOLPHIN, A.C. *see* SCOTT, R.H., **94**, 653
DOMÈNECH, C. *see* RIVERA-FILLAT, M.P., **93**, 902
DOMENY, A.M. *see* JONES, B.J., **93**, 985
DONNERER, J. & LEMBECK, F. Neonatal capsaicin treatment of rats reduces ACTH secretion in response to peripheral neuronal stimuli but not to centrally acting stressors, **94**, 647
DONNERER, J., YAN, Z. & LEMBECK, F. Effects of clonidine and yohimbine on a C-fibre-evoked blood pressure reflex in the rat, **94**, 848
DOUGALL, I.G. *see* LEFF, P., **95**, 234
DOUGLAS, J.S. *see* WILLS, M., **93**, 918
DOURISH, C.T. *see* STOESSL, A.J., **94**, 285
DOWNING, S.J. & HOLLINGSWORTH, M. Nifedipine kinetics in the rat and relationship between its serum concentrations and uterine and cardiovascular effects, **95**, 23
DRAPEAU, G. *see* DEVILLIER, P., **94**, 675
DRAY, A. *see* PERKINS, M.N., **94**, 47
DRAY, A., BETTANEY, J., FORSTER, P. & PERKINS, M.N. Activation of a bradykinin receptor in peripheral nerve and spinal cord in the neonatal rat *in vitro*, **95**, 1008
DRESEL, P.E. & OGBAGHEBRIEL, A. Blockade of the inotropic effect of Bay K 8644 by cytochalasin-B and phloretin, **94**, 552
DUBUQUE, L.K. *see* EGLEN, R.M., **95**, 1031
DUN, N.J. *see* WALLIS, D.I., **93**, 110
DUNCAN, G.P. *see* PATMORE, L., **95**, 763
DUNCKER, D.J. *see* BOM, A.H., **93**, 663
DUNCKER, D.J., HEILIGERS, J.P.C., SAXENA, P.R. & VERDOUW, P.D. Nisoldipine and perfusion of poststenotic myocardium in conscious pigs with different degrees of concentric stenosis, **94**, 219
DUNN, G., KOSHIKAWA, N., DURCAN, M.J. & CAMPBELL, I.C. An examination of the experimental design in relation to receptor binding assays, **94**, 693
DUNN, P.M. *see* BLAKELEY, A.G.H., **94**, 37
DUNN, P.M. & BLAKELY, A.G.H. Suramin: a reversible P_2-purinoceptor antagonist in the mouse vas deferens, **93**, 243
DUNN, W.R. *see* DALY, C.J., **95**, 501
DUNWIDDIE, T.V., PROCTOR, W.R. & TYMA, J. Local anaesthetic actions of cocaine: effects on excitatory and inhibitory synaptic responses in hippocampus *in vitro*, **95**, 117
DUPUIS, B.A. *see* ADAMANTIDIS, M.M., **95**, 1063
DURANTE, W., SEN, A.K. & SUNAHARA, F.A. Impairment of endothelium-dependent relaxation in aortae from spontaneously diabetic rats, **94**, 463
DURCAN, M.J. *see* DUNN, G., **94**, 693
DUSTING, J.L. *see* AMEZCUA, J.L., **95**, 830
DUSTING, G.J. *see* STEWART, A.G., **94**, 1225
DUVAL, N., LEE, C.R., EON, M.T., PETRUZZO, P. & LANGER, S.Z. The β-adrenoceptor antagonist, betaxolol, is not released from the heart of the anaesthetized dog during sympathetic nerve stimulation, **95**, 683
DZIMIRI, N. & FRICKE, U. Lipophilicity and pharmacodynamics of cardiotonic steroids in guinea-pig isolated heart muscle preparations, **93**, 281

E

EBEIGBE, A.B., MÜLLER-SCHWEINITZER, E. & VOGEL, A. Effects of calcium channel blockade in canine saphenous veins after storage at −190°C, **94**, 381

EBNER, F. & SIEGL, H. Diffusion characteristics dissociate ouabain binding from inotropic effect in guinea-pig myocardium, **95**, 399
EDEN, R.J. *see* GRISTWOOD, R.W., **93**, 893
EDVINSON, L. *see* HAMEL, E., **94**, 423
—, *see* OTTOSSON, A., **94**, 901
EDWARDS, D.H. *see* GRIFFITH, T.M., **93**, 654
EGLEN, R.M. & WHITING, R.L. The action of prostanoid receptor agonists and antagonists on smooth muscle and platelets, **94**, 591
EGLEN, R.M., MONTGOMERY, W.W., DAINTY, I.A., DUBUQUE, L.K. & WHITING, R.L. The interaction of methoctramine and himbacine at atrial, smooth muscle and endothelial muscarinic receptors *in vitro*, **95**, 1031
EKSTRÖM, J., HÅKANSON, R., MÅNSSON, B. & TOBIN, G. Tachykinin involvement in parasympathetic nerve-evoked salivation of the ferret, **94**, 707
EL-DIN, M.M.M. & MALIK, K.U. Differential effect of ω-conotoxin on release of the adrenergic transmitter and the vasoconstrictor response to noradrenaline in the rat isolated kidney, **94**, 355
EL MOATASSIM, C. *see* SLADECZEK, F., **95**, 1133
ELLIOTT, D. *see* DOSE, D., **93**, 453
EMEIS, J.J. *see* TRANQUILLE, N., **93**, 156
EON, M.T. *see* DUVAL, N., **95**, 683
ERECIŃSKA, M., NELSON, D. & SILVER, I.A. Interactions of benztropine, atropine and ketamine with veratridine-activated sodium channels: effects on membrane depolarization, K^+-efflux and neurotransmitter amino acid release, **94**, 871
ESPLUGUES, J.V. *see* WHITTLE, B.J.R., **95**, 1011
ESPLUGUES, J.V. & WHITTLE, B.J.R. Gastric mucosal damage induced by local intra-arterial administration of Paf in the rat, **93**, 222
ESTRELLA, D., GREEN, K.L., PRIOR, C., DEMPSTER, J., HALLIWELL, R.F., JACOBS, R.S., PARSONS, S.M., PARSONS, R.L. & MARSHALL, I.G. A further study of the neuromuscular effects of vesamicol (AH5183) and of enantiomer specificity, **93**, 759
EVANS, C.A. *see* SNELL, K., **93**, 817
EVANS, K.T. *see* GRIFFITH, T.M., **93**, 654
EVANS, R.G., RICE, G.E. & OLLEY, J.E. Studies of the effects of subacute treatment with N-(cyclo-propylmethyl)-19-isopentylnorordinol (M320) on timing of parturition in the rat, **95**, 777
EVANS, S.M. & COLLARD, K.J. The mechanism by which monoamine oxidase inhibitors give rise to a non-calcium-dependent component in the depolarization-induced release of 5-HT from rat brain synaptosomes, **95**, 950
EVANS, T.W. *see* ROGERS, D.F., **95**, 1109
EVANS, T.W., DENT, G., ROGERS, D.F., AURSUDKIJ, B., CHUNG, K.F. & BARNES, P.J. Effect of a Paf antagonist, WEB 2086, on airway microvascular leakage in the guinea-pig and platelet aggregation in man, **94**, 164

F

FANCIULLACCI, M. *see* GEPPETTI, P., **93**, 509
FARMER, S.G., CANNING, B.J. & WILKINS, D.E. Adenosine receptor-mediated contraction and relaxation of guinea-pig isolated tracheal smooth muscle: effects of adenosine antagonists, **95**, 371
FARQUHAR, R. & PART, N.J. The effect of dantrolene sodium on the discharge of alpha and gamma motoneurones to the soleus muscle in the decerebrate rat, **93**, 257
FELETOU, M. & VANHOUTTE, P.M. Endothelium-dependent hyperpolarization of canine coronary smooth muscle, **93**, 515
FENIUK, W. *see* HUMPHREY, P.P.A., **94**, 1123
FENNESSY, M. *see* ANDERSON, G., **94**, 1115
FERRY, C.B. The origin of the anticholinesterase-induced repetitive activity of the phrenic nerve-diaphragm preparation of the rat *in vitro*, **94**, 169
FEUERSTEIN, T.J., HEDLER, L., JACKISCH, R. & HERTTING, G. An *in vitro* model of 1-methyl-4-phenyl-pyridinium (MPP+) toxicity: incubation of rabbit caudate nucleus slices with MPP+ followed by biochemical and functional analysis, **95**, 449
FFRENCH-MULLEN, J.M.H., TOKUTOMI, N. & AKAIKE, N. The effect of temperature on the GABA-induced chloride current in isolated sensory neurones of the frog, **95**, 753
FINCHAM, N.J. *see* CAMP, R.D.R., **94**, 1043
FLAVAHAN, N.A. *see* SHIMOKAWA, H., **95**, 1197
FLETCHER, E.J., MARTIN, D., ARAM, J.A., LODGE, D. & HONORÉ, T. Quinoxalinediones selectively block quisqualate and kainate receptors and synaptic events in rat neocortex and hippocampus and frog spinal cord *in vitro*, **95**, 585
FLOWER, R.J. Lipocortin and the mechanism of action of the glucocorticoids, eleventh Gaddum Memorial Lecture, **94**, 987
FOLKERTS, G. *see* VAN OOSTERHOUT, A.J.M., **94**, 901
FOLLENFANT, M.J. *see* ALLAN, G., **93**, 387
FOLLENFANT, R.L. *see* CLARK, S.J., **95**, 275
—, *see* HIGGS, G.A., **94**, 547
FOLLENFANT, R.L., HARDY, G.W., LOWE, L.A., SCHNEIDER, C. & SMITH, T.W. Antinociceptive effects of the novel opioid peptide BW443C compared with classical opiates; peripheral versus central actions, **93**, 95
FONTAINE, J. & LEBRUN, P. Pharmacological analysis of the effects of Bay K 8644 and organic calcium antagonists on the mouse isolated distal colon, **94**, 1198
FORSTER, P. *see* DRAY, A., **95**, 1008
FORSTER, P.L. *see* PERKINS, M.N., **94**, 47
FÖRSTERMANN, U., ALHEID, U., FRÖLICH, J.C. & MÜLSCH, A. Mechanisms of action of lipoxygenase and cytochrome P-450-mono-oxygenase inhibitors in blocking endothelium-dependent vasodilatation, **93**, 569
FORSYTH, K.M. & POLLOCK, D. Clonidine and morphine increases [^{3}H]-noradrenaline overflow in mouse vas deferens, **93**, 35
FOSTER, A.C. & TRIDGETT, R. Comparison of the binding of radiolabelled neurokinin A and eledoisin in rat cortex synaptic membranes, **94**, 602
FOSTER, G.A. *see* ROBERTS, M.H.T., **95**, 437
FOSTER, R.W. *see* BOYLE, J.P., **93**, 319
FOSTER, R.W. *see* SMALL, R.C., **94**, 1091
FRANCHI-MITCHELI, S. *see* LUZZI, S., **95**, 1271
FRANCIS, D.M. *see* BARR, R.M., **94**, 773
FREEDMAN, S.B., HARLEY, E.A. & IVERSEN, L.L.